


**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. **(currently amended)** A compound represented by formula (I):



wherein ring A represents an azepane ring

ring B represents a pyrimidine ring which may be substituted with 1-5 of R<sup>3</sup>;

plural R<sup>3</sup>'s each independently represents (1) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of R<sup>10</sup>, (2) oxo, or (3)R<sup>10</sup>;

plural R<sup>10</sup>'s each independently represents (1) OR<sup>11</sup>, (2) OCOR<sup>12</sup>, (3) OCOOR<sup>13</sup>, (4) NR<sup>14</sup>R<sup>15</sup>, (5) NR<sup>16</sup>COR<sup>12</sup>, (6) NR<sup>16</sup>CONR<sup>14</sup>R<sup>15</sup>, (7) NR<sup>16</sup>COOR<sup>13</sup>, (8) COOR<sup>13</sup>, (9) COR<sup>12</sup>, (10) CONR<sup>14</sup>R<sup>15</sup>, (11) SO<sub>2</sub>R<sup>12</sup>, (12) SOR<sup>22</sup>, (13) SO<sub>2</sub>NR<sup>24</sup>R<sup>25</sup>, (14) NR<sup>16</sup>SO<sub>2</sub>R<sup>12</sup>, (15) B(OH)<sub>2</sub>, (16) SR<sup>11</sup>, (17) halogen, (18) nitro, (19) cyano, or (20) ring D;

R<sup>11</sup> represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of halogen, NR<sup>14</sup>R<sup>15</sup>, OR<sup>21</sup>, SR<sup>21</sup>, COOR<sup>13</sup>, or ring D, or (iii) ring D;

R<sup>12</sup>, R<sup>13</sup>, R<sup>14</sup>, R<sup>15</sup> and R<sup>16</sup> each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring D, or (iii) ring D;

ring D represents pyrrole, imidazole, triazole, tetrazole, pyrazole, pyridine, pyrazine, pyrimidine, pyridazine, azepine, diazepine, furan, pyran, oxepine, thiophene, thiopyran, thiepine, oxazole, isoxazole, thiazole, isothiazole, furazan, oxadiazole, oxazine, oxadiazine, oxazepine, oxadiazepine, thiadiazole, thiazine, thiadiazine, thiazepine, thiadiazepine, indole, isoindole, indolizine, benzofuran, isobenzofuran, benzothiophene, isobenzothiophene, dithianaphthalene,

indazole, quinoline, isoquinoline, quinolizine, purine, phthalazine, pteridine, naphthyridine, quinoxaline, quinazoline, cinnoline, benzoxazole, benzothiazole, benzimidazole, chromene, benzoxepine, benzoxazepine, benzoxadiazepine, benzothiepine, benzothiazepine, benzothiadiazepine, benzazepine, benzodiazepine, benzofurazan, benzothiadiazole, benzotriazole, carbazole, beta-carboline, acridine, phenazine, dibenzofuran, xanthene, dibenzothiophene, phenothiazine, phenoxazine, phenoxathiin, thianthrene, phenanthridine, phenanthroline, perimidine, pyrroline, pyrrolidine, imidazoline, imidazolidine, triazoline, triazolidine, tetrazoline, tetrazolidine, pyrazoline, pyrazolidine, dihydropyridine, tetrahydropyridine, piperidine, dihydropyrazine, tetrahydropyrazine, piperazine, dihydropyrimidine, tetrahydropyrimidine, perhydropyrimidine, dihydropyridazine, tetrahydropyridazine, perhydropyridazine, dihydroazepine, tetrahydroazepine, perhydroazepine, dihydrodiazepine, tetrahydrodiazepine, perhydrodiazepine, dihydrooxazole, tetrahydrooxazole (oxazolidine), dihydroisoxazole, tetrahydroisoxazole (isoxazolidine), dihydrothiazole, tetrahydrothiazole (thiazolidine), dihydroisothiazole, tetrahydroisothiazole (isothiazolidine), dihydrofurazan, tetrahydrofurazan, dihydrooxadiazole, tetrahydrooxadiazole (oxadiazolidine), dihydrooxazine, tetrahydrooxazine, dihydrooxadiazine, tetrahydrooxadiazine, dihydrooxazepine, tetrahydrooxazepine, perhydrooxazepine, dihydrooxadiazepine, tetrahydrooxadiazepine, perhydrooxadiazepine, dihydrothiadiazole, tetrahydrothiadiazole (thiadiazolidine), dihydrothiazine, tetrahydrothiazine, dihydrothiadiazine, tetrahydrothiadiazine, dihydrothiazepine, tetrahydrothiazepine, perhydrothiazepine, dihydrothiadiazepine, tetrahydrothiadiazepine, perhydrothiadiazepine, morpholine, thiomorpholine, oxathiane, indoline, isoindoline, dihydroindazole, perhydroindazole, dihydroquinoline, tetrahydroquinoline, perhydroquinoline, dihydroisoquinoline, tetrahydroisoquinoline, perhydroisoquinoline, dihydrophthalazine, tetrahydrophthalazine, perhydrophthalazine, dihydronaphthyridine, tetrahydronaphthyridine, perhydronaphthyridine, dihydroquinoxaline, tetrahydroquinoxaline, perhydroquinoxaline, dihydroquinazoline, tetrahydroquinazoline, perhydroquinazoline, dihydrocinnoline, tetrahydrocinnoline, perhydrocinnoline, benzoxathiane, dihydrobenzoxazine, dihydrobenzothiazine, pyrazinomorpholine, dihydrobenzoxazole, perhydrobenzoxazole,

dihydrobenzothiazole, perhydrobenzothiazole, dihydrobenzimidazole, perhydrobenzimidazole, dihydrobenzazepine, tetrahydrobenzazepine, dihydrobenzodiazepine, tetrahydrobenzodiazepine, benzodioxepane, dihydrobenzoxazepine, tetrahydrobenzoxazepine, dihydrocarbazole, tetrahydrocarbazole, perhydrocarbazole, dihydroacridine, tetrahydroacridine, perhydroacridine, cyclopropane, cyclobutane, cyclopentane, cyclohexane, cycloheptane, cyclooctane, cyclononane, cyclodecane, cycloundecane, cyclododecane, cyclotridecane, cyclotetradecane, cyclopentadecane, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclopentadiene, cyclohexadiene, cycloheptadiene, cyclooctadiene, benzene, pentalene, perhydropentalene, azulene, perhydroazulene, indene, perhydroindene, indan, naphthalene, dihydronaphthalene, tetrahydronaphthalene, perhydronaphthalene, heptalene, perhydroheptalene, biphenylene, as-indacene, s-indacene, acenaphthylene, acenaphthene, fluorene, phenalene, phenanthrene, anthracene, spiro[4.4]nonane, spiro[4.5]decane, spiro[5.5]undecane, bicyclo[2.2.1]heptane, bicyclo[2.2.1]hept-2-ene, bicyclo[3.1.1]heptane, bicyclo[3.1.1]hept-2-ene, bicyclo[2.2.2]octane, bicyclo[2.2.2]oct-2-ene, adamantane or noradamantane; a C3-15 monoicyclic, bicyclic or tricyclic carbocyclic group, or a 5- to 15-membered monocyclic, bicyclic or tricyclic heterocyclic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom; and

ring D may be substituted with 1 to 5 of the groups selected from the following (1) to (22):

(1) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl or alkynyl may be substituted with 1 to 5 of  $OR^{21}$ ,  $OCOR^{22}$ ,  $OCOOR^{23}$ ,  $NR^{24}R^{25}$ ,  $NR^{26}COR^{22}$ ,  $NR^{26}CONR^{24}R^{25}$ ,  $NR^{26}COOR^{23}$ ,  $COOR^{23}$ ,  $COR^{22}$ ,  $CONR^{24}R^{25}$ ,  $SO_2R^{22}$ ,  $SOR^{22}$ ,  $SO_2NR^{24}R^{25}$ ,  $NR^{26}SO_2R^{22}$ ,  $B(OH)_2$ ,  $SR^{21}$ , halogen, nitro or cyano, (2) oxo, (3)  $OR^{21}$ , (4)  $OCOR^{22}$ , (5)  $OCOOR^{23}$ , (6)  $NR^{24}R^{25}$ , (7)  $NR^{26}COR^{22}$ , (8)  $NR^{26}CONR^{24}R^{25}$ , (9)  $NR^{26}COOR^{23}$ , (10)  $COOR^{23}$ , (11)  $COR^{22}$ , (12)  $CONR^{24}R^{25}$ , (13)  $SO_2R^{22}$ , (14)  $SOR^{22}$ , (15)  $SO_2NR^{24}R^{25}$ , (16)  $NR^{26}SO_2R^{22}$ , (17)  $B(OH)_2$ , (18)  $SR^{21}$ , (19) halogen, (20) nitro, (21) cyano or (22) ring E;

$R^{21}$  represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with  $COR^{22}$ ,  $NR^{24}R^{25}$  or ring E, or (iii) ring E;

R<sup>22</sup>, R<sup>23</sup>, R<sup>24</sup>, R<sup>25</sup> and R<sup>26</sup> each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring E, or (iii) ring E;

ring E represents pyrrole, imidazole, triazole, tetrazole, pyrazole, pyridine, pyrazine, pyrimidine, pyridazine, azepine, diazepine, furan, pyran, oxepine, thiophene, thiopyran, thiepine, oxazole, isoxazole, thiazole, isothiazole, furazan, oxadiazole, oxazine, oxadiazine, oxazepine, oxadiazepine, thiadiazole, thiazine, thiadiazine, thiazepine, thiadiazepine, indole, isoindole, indolizine, benzofuran, isobenzofuran, benzothiophene, isobenzothiophene, dithianaphthalene, indazole, quinoline, isoquinoline, quinolizine, purine, phthalazine, pteridine, naphthyridine, quinoxaline, quinazoline, cinnoline, benzoxazole, benzothiazole, benzimidazole, chromene, benzoxepine, benzoxazepine, benzoxadiazepine, benzothiepine, benzothiazepine, benzothiadiazepine, benzazepine, benzodiazepine, benzofurazan, benzothiadiazole, benzotriazole, carbazole, beta-carboline, acridine, phenazine, dibenzofuran, xanthene, dibenzothiophene, phenothiazine, phenoxazine, phenoxathiin, thianthrene, phenanthridine, phenanthroline, perimidine, pyrroline, pyrrolidine, imidazoline, imidazolidine, triazoline, triazolidine, tetrazoline, tetrazolidine, pyrazoline, pyrazolidine, dihydropyridine, tetrahydropyridine, piperidine, dihydropyrazine, tetrahydropyrazine, piperazine, dihydropyrimidine, tetrahydropyrimidine, perhydropyrimidine, dihydropyridazine, tetrahydropyridazine, perhydropyridazine, dihydroazepine, tetrahydroazepine, perhydroazepine, dihydrodiazepine, tetrahydrodiazepine, perhydrodiazepine, dihydrooxazole, tetrahydrooxazole (oxazolidine), dihydroisoxazole, tetrahydroisoxazole (isoxazolidine), dihydrothiazole, tetrahydrothiazole (thiazolidine), dihydroisothiazole, tetrahydroisothiazole (isothiazolidine), dihydrofurazan, tetrahydrofurazan, dihydrooxadiazole, tetrahydrooxadiazole (oxadiazolidine), dihydrooxazine, tetrahydrooxazine, dihydrooxadiazine, tetrahydrooxadiazine, dihydrooxazepine, tetrahydrooxazepine, perhydrooxazepine, dihydrooxadiazepine, tetrahydrooxadiazepine, perhydrooxadiazepine, dihydrothiadiazole, tetrahydrothiadiazole (thiadiazolidine), dihydrothiazine, tetrahydrothiazine, dihydrothiadiazine, tetrahydrothiadiazine, dihydrothiazepine, tetrahydrothiazepine, perhydrothiazepine, dihydrothiadiazepine, tetrahydrothiadiazepine, perhydrothiadiazepine, morpholine, thiomorpholine, oxathiane,

indoline, isoindoline, dihydroindazole, perhydroindazole, dihydroquinoline, tetrahydroquinoline, perhydroquinoline, dihydroisoquinoline, tetrahydroisoquinoline, perhydroisoquinoline, dihydrophthalazine, tetrahydrophthalazine, perhydrophthalazine, dihydronaphthylidine, tetrahydronaphthylidine, perhydronaphthylidine, dihydroquinoxaline, tetrahydroquinoxaline, perhydroquinoxaline, dihydroquinazoline, tetrahydroquinazoline, perhydroquinazoline, dihydrocinnoline, tetrahydrocinnoline, perhydrocinnoline, benzoxathiane, dihydrobenzoxazine, dihydrobenzothiazine, pyrazinomorpholine, dihydrobenzoxazole, perhydrobenzoxazole, dihydrobenzothiazole, perhydrobenzothiazole, dihydrobenzimidazole, perhydrobenzimidazole, dihydrobenzazepine, tetrahydrobenzazepine, dihydrobenzodiazepine, tetrahydrobenzodiazepine, benzodioxepane, dihydrobenzoxazepine, tetrahydrobenzoxazepine, dihydrocarbazole, tetrahydrocarbazole, perhydrocarbazole, dihydroacridine, tetrahydroacridine, perhydroacridine, cyclopropane, cyclobutane, cyclopentane, cyclohexane, cycloheptane, cyclooctane, cyclononane, cyclodecane, cycloundecane, cyclododecane, cyclotridecane, cyclotetradecane, cyclopentadecane, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclopentadiene, cyclohexadiene, cycloheptadiene, cyclooctadiene, benzene, pentalene, perhydropentalene, azulene, perhydroazulene, indene, perhydroindene, indan, naphthalene, dihydronaphthalene, tetrahydronaphthalene, perhydronaphthalene, heptalene, perhydroheptalene, biphenylene, as-indacene, s-indacene, acenaphthylene, acenaphthene, fluorene, phenalene, phenanthrene, anthracene, spiro[4.4]nonane, spiro[4.5]decane, spiro[5.5]undecane, bicyclo[2.2.1]heptane, bicyclo[2.2.1]hept-2-ene, bicyclo[3.1.1]heptane, bicyclo[3.1.1]hept-2-ene, bicyclo[2.2.2]octane, bicyclo[2.2.2]oct-2-ene, adamantane or noradamantane-C3-15 monoeyelic, bicyelic or trieyelic carbocyclic group, or a 5- to 15-membered monocyclic, bicyelic or trieyelic heterocyclic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom, and

ring E may be substituted with 1 to 5 of (i) C1-15 alkyl which may be substituted with phenyl, (ii) halogen, (iii) phenyl, (iv) C1-15 alkoxy, (v) hydroxyl, (vi) amino, (vii) mono(C1-8 alkyl)amino, or (viii) di(C1-8 alkyl)amino; and

Y represents




wherein G represents a bond or a methylene;

ring J represents an azetidine, a pyrrolidine, a piperidine or a perhydroazepine which may be substituted with 1-5 of R<sup>3</sup> and

W represents hydrogen, a methyl, an ethyl, an isobutyl, a 3-methyl butyl, a 2-ethylbutyl, a cyclohexylmethyl, a cyclohexyl, a cyclopentyl, a benzyl, a benzene, cyclohexanol, 1-(cyclohexylcarbonyl)piperidine, a tetrahydropyran-4-yl or a piperidine, or a salt thereof.

**Claims 2-5. (canceled).**

6. **(currently amended)** The compound according to claim 1, which is represented by formula (I-2):



wherein ring B represents a pyrimidine ring which may be substituted with 1-5 of R<sup>3</sup>; plural R<sup>3</sup>s each independently represents (1) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of R<sup>10</sup>, (2) oxo, or (3) R<sup>10</sup>;

plural R<sup>10</sup>s each independently represents (1) OR<sup>11</sup>, (2) OCOR<sup>12</sup>, (3) OCOOR<sup>13</sup>, (4) NR<sup>14</sup>R<sup>15</sup>, (5) NR<sup>16</sup>COR<sup>12</sup>, (6) NR<sup>16</sup>CONR<sup>14</sup>R<sup>15</sup>, (7) NR<sup>16</sup>COOR<sup>13</sup>, (8) COOR<sup>13</sup>, (9) COR<sup>12</sup>, (10) CONR<sup>14</sup>R<sup>15</sup>, (11) SO<sub>2</sub>R<sup>12</sup>, (12) SOR<sup>22</sup>, (13) SO<sub>2</sub>NR<sup>24</sup>R<sup>25</sup>, (14) NR<sup>16</sup>SO<sub>2</sub>R<sup>12</sup>, (15) B(OH)<sub>2</sub>, (16) SR<sup>11</sup>, (17) halogen, (18) nitro, (19) cyano, or (20) ring D;

R<sup>11</sup> represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of halogen, NR<sup>14</sup>R<sup>15</sup>, OR<sup>21</sup>, SR<sup>21</sup>, COOR<sup>13</sup>, or ring D, or (iii) ring D;

$R^{12}$ ,  $R^{13}$ ,  $R^{14}$ ,  $R^{15}$  and  $R^{16}$  each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring D, or (iii) ring D;

ring D represents a pyrrole, imidazole, triazole, tetrazole, pyrazole, pyridine, pyrazine, pyrimidine, pyridazine, azepine, diazepine, furan, pyran, oxepine, thiophene, thiopyran, thiepine, oxazole, isoxazole, thiazole, isothiazole, furazan, oxadiazole, oxazine, oxadiazine, oxazepine, oxadiazepine, thiadiazole, thiazine, thiadiazine, thiazepine, thiadiazepine, indole, isoindole, indolizine, benzofuran, isobenzofuran, benzothiophene, isobenzothiophene, dithianaphthalene, indazole, quinoline, isoquinoline, quinolizine, purine, phthalazine, pteridine, naphthyridine, quinoxaline, quinoxaline, cinnoline, benzoxazole, benzothiazole, benzimidazole, chromene, benzoxepine, benzoxazepine, benzoxadiazepine, benzothiepine, benzothiazepine, benzothiadiazepine, benzazepine, benzodiazepine, benzofurazan, benzothiadiazole, benzotriazole, carbazole, beta-carboline, acridine, phenazine, dibenzofuran, xanthene, dibenzothiophene, phenothiazine, phenoxazine, phenoxathiin, thianthrene, phenanthridine, phenanthroline, perimidine, pyrroline, pyrrolidine, imidazoline, imidazolidine, triazoline, triazolidine, tetrazoline, tetrazolidine, pyrazoline, pyrazolidine, dihydropyridine, tetrahydropyridine, piperidine, dihydropyrazine, tetrahydropyrazine, piperazine, dihydropyrimidine, tetrahydropyrimidine, perhydropyrimidine, dihydropyridazine, tetrahydropyridazine, perhydropyridazine, dihydroazepine, tetrahydroazepine, perhydroazepine, dihydrodiazepine, tetrahydrodiazepine, perhydrodiazepine, dihydrooxazole, tetrahydrooxazole (oxazolidine), dihydroisoxazole, tetrahydroisoxazole (isoxazolidine), dihydrothiazole, tetrahydrothiazole (thiazolidine), dihydroisothiazole, tetrahydroisothiazole (isothiazolidine), dihydrofuran, tetrahydrofuran, dihydrooxadiazole, tetrahydrooxadiazole (oxadiazolidine), dihydrooxazine, tetrahydrooxazine, dihydrooxadiazine, tetrahydrooxadiazine, dihydrooxazepine, tetrahydrooxazepine, perhydrooxazepine, dihydrooxadiazepine, tetrahydrooxadiazepine, perhydrooxadiazepine, dihydrothiadiazole, tetrahydrothiadiazole (thiadiazolidine), dihydrothiazine, tetrahydrothiazine, dihydrothiadiazine, tetrahydrothiadiazine, dihydrothiazepine, tetrahydrothiazepine, perhydrothiazepine, dihydrothiadiazepine, tetrahydrothiadiazepine, perhydrothiadiazepine, morpholine, thiomorpholine, oxathiane,

indoline, isoindoline, dihydroindazole, perhydroindazole, dihydroquinoline, tetrahydroquinoline, perhydroquinoline, dihydroisoquinoline, tetrahydroisoquinoline, perhydroisoquinoline, dihydrophthalazine, tetrahydrophthalazine, perhydrophthalazine, dihydronaphthyrine, tetrahydronaphthyrine, perhydronaphthyrine, dihydroquinoxaline, tetrahydroquinoxaline, perhydroquinoxaline, dihydroquinazoline, tetrahydroquinazoline, perhydroquinazoline, dihydrocinnoline, tetrahydrocinnoline, perhydrocinnoline, benzoxathiane, dihydrobenzoxazine, dihydrobenzothiazine, pyrazinomorpholine, dihydrobenzoxazole, perhydrobenzoxazole, dihydrobenzothiazole, perhydrobenzothiazole, dihydrobenzimidazole, perhydrobenzimidazole, dihydrobenzazepine, tetrahydrobenzazepine, dihydrobenzodiazepine, tetrahydrobenzodiazepine, benzodioxepane, dihydrobenzoxazepine, tetrahydrobenzoxazepine, dihydrocarbazole, tetrahydrocarbazole, perhydrocarbazole, dihydroacridine, tetrahydroacridine, perhydroacridine, cyclopropane, cyclobutane, cyclopentane, cyclohexane, cycloheptane, cyclooctane, cyclononane, cyclodecane, cycloundecane, cyclododecane, cyclotridecane, cyclotetradecane, cyclopentadecane, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclopentadiene, cyclohexadiene, cycloheptadiene, cyclooctadiene, benzene, pentalene, perhydropentalene, azulene, perhydroazulene, indene, perhydroindene, indan, naphthalene, dihydronaphthalene, tetrahydronaphthalene, perhydronaphthalene, heptalene, perhydroheptalene, biphenylene, as-indacene, s-indacene, acenaphthylene, acenaphthene, fluorene, phenalene, phenanthrene, anthracene, spiro[4.4]nonane, spiro[4.5]decane, spiro[5.5]undecane, bicyclo[2.2.1]heptane, bicyclo[2.2.1]hept-2-ene, bicyclo[3.1.1]heptane, bicyclo[3.1.1]hept-2-ene, bicyclo[2.2.2]octane, bicyclo[2.2.2]oct-2-ene, adamantane or noradamantane C<sub>3</sub>-15 monoecyclic, bicyclic or tricyclic carboecyclic group, or a 5- to 15-membered monoecyclic, bicyclic or tricyclic heterocyclic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom; and

ring D may be substituted with 1 to 5 of the groups selected from the following (1) to (22):

(1) C<sub>1</sub>-15 alkyl, C<sub>2</sub>-15 alkenyl or C<sub>2</sub>-15 alkynyl, wherein the alkyl, alkenyl or alkynyl may be substituted with 1 to 5 of OR<sup>21</sup>, OCOR<sup>22</sup>, OCOOR<sup>23</sup>, NR<sup>24</sup>R<sup>25</sup>, NR<sup>26</sup>COR<sup>22</sup>, NR<sup>26</sup>CONR<sup>24</sup>R<sup>25</sup>, NR<sup>26</sup>COOR<sup>23</sup>, COOR<sup>23</sup>, COR<sup>22</sup>, CONR<sup>24</sup>R<sup>25</sup>, SO<sub>2</sub>R<sup>22</sup>, SOR<sup>22</sup>, SO<sub>2</sub>NR<sup>24</sup>R<sup>25</sup>,



NR<sup>26</sup>SO<sub>2</sub>R<sup>22</sup>, B(OH)<sub>2</sub>, SR<sup>21</sup>, halogen, nitro or cyano, (2) oxo, (3) OR<sup>21</sup>, (4) OCOR<sup>22</sup>, (5) OCOOR<sup>23</sup>, (6) NR<sup>24</sup>R<sup>25</sup>, (7) NR<sup>26</sup>COR<sup>22</sup>, (8) NR<sup>26</sup>CONR<sup>24</sup>R<sup>25</sup>, (9) NR<sup>26</sup>COOR<sup>23</sup>, (10) COOR<sup>23</sup>, (11) COR<sup>22</sup>, (12) CONR<sup>24</sup>R<sup>25</sup>, (13) SO<sub>2</sub>R<sup>22</sup>, (14) SOR<sup>22</sup>, (15) SO<sub>2</sub>NR<sup>24</sup>R<sup>25</sup>, (16) NR<sup>26</sup>SO<sub>2</sub>R<sup>22</sup>, (17) B(OH)<sub>2</sub>, (18) SR<sup>21</sup>, (19) halogen, (20) nitro, (21) cyano or (22) ring E;

R<sup>21</sup> represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with COR<sup>22</sup>, NR<sup>24</sup>R<sup>25</sup> or ring E, or (iii) ring E;

R<sup>22</sup>, R<sup>23</sup>, R<sup>24</sup>, R<sup>25</sup> and R<sup>26</sup> each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring E, or (iii) ring E;

ring E represents a pyrrole, imidazole, triazole, tetrazole, pyrazole, pyridine, pyrazine, pyrimidine, pyridazine, azepine, diazepine, furan, pyran, oxepine, thiophene, thiopyran, thiopine, oxazole, isoxazole, thiazole, isothiazole, furazan, oxadiazole, oxazine, oxadiazine, oxazepine, oxadiazepine, thiadiazole, thiazine, thiadiazine, thiazepine, thiadiazepine, indole, isoindole, indolizine, benzofuran, isobenzofuran, benzothiophene, isobenzothiophene, dithianaphthalene, indazole, quinoline, isoquinoline, quinolizine, purine, phthalazine, pteridine, naphthyridine, quinoxaline, quinazoline, cinnoline, benzoxazole, benzothiazole, benzimidazole, chromene, benzoxepine, benzoxazepine, benzoxadiazepine, benzothiepine, benzothiazepine, benzothiadiazepine, benzazepine, benzodiazepine, benzofurazan, benzothiadiazole, benzotriazole, carbazole, beta-carboline, acridine, phenazine, dibenzofuran, xanthene, dibenzothiophene, phenothiazine, phenoxazine, phenoxathiin, thianthrene, phenanthridine, phenanthroline, perimidine, pyrroline, pyrrolidine, imidazoline, imidazolidine, triazoline, triazolidine, tetrazoline, tetrazolidine, pyrazoline, pyrazolidine, dihydropyridine, tetrahydropyridine, piperidine, dihydropyrazine, tetrahydropyrazine, piperazine, dihydropyrimidine, tetrahydropyrimidine, perhydropyrimidine, dihydropyridazine, tetrahydropyridazine, perhydropyridazine, dihydroazepine, tetrahydroazepine, perhydroazepine, dihydrodiazepine, tetrahydrodiazepine, perhydrodiazepine, dihydrooxazole, tetrahydrooxazole (oxazolidine), dihydroisoxazole, tetrahydroisoxazole (isoxazolidine), dihydrothiazole, tetrahydrothiazole (thiazolidine), dihydroisothiazole, tetrahydroisothiazole (isothiazolidine), dihydrofurazan, tetrahydrofurazan, dihydrooxadiazole, tetrahydrooxadiazole (oxadiazolidine),

dihydrooxazine, tetrahydrooxazine, dihydrooxadiazine, tetrahydrooxadiazine, dihydrooxazepine, tetrahydrooxazepine, perhydrooxazepine, dihydrooxadiazepine, tetrahydrooxadiazepine, perhydrooxadiazepine, dihydrothiadiazole, tetrahydrothiadiazole (thiadiazolidine), dihydrothiazine, tetrahydrothiazine, dihydrothiadiazine, tetrahydrothiadiazine, dihydrothiazepine, tetrahydrothiazepine, perhydrothiazepine, dihydrothiadiazepine, tetrahydrothiadiazepine, perhydrothiadiazepine, morpholine, thiomorpholine, oxathiane, indoline, isoindoline, dihydroindazole, perhydroindazole, dihydroquinoline, tetrahydroquinoline, perhydroquinoline, dihydroisoquinoline, tetrahydroisoquinoline, perhydroisoquinoline, dihydrophthalazine, tetrahydrophthalazine, perhydrophthalazine, dihydronaphthylidine, tetrahydronaphthylidine, perhydronaphthylidine, dihydroquinoxaline, tetrahydroquinoxaline, perhydroquinoxaline, dihydroquinazoline, tetrahydroquinazoline, perhydroquinazoline, dihydrocinnoline, tetrahydrocinnoline, perhydrocinnoline, benzoxathiane, dihydrobenzoxazine, dihydrobenzothiazine, pyrazinomorpholine, dihydrobenzoxazole, perhydrobenzoxazole, dihydrobenzothiazole, perhydrobenzothiazole, dihydrobenzimidazole, perhydrobenzimidazole, dihydrobenzazepine, tetrahydrobenzazepine, dihydrobenzodiazepine, tetrahydrobenzodiazepine, benzodioxepane, dihydrobenzoxazepine, tetrahydrobenzoxazepine, dihydrocarbazole, tetrahydrocarbazole, perhydrocarbazole, dihydroacridine, tetrahydroacridine, perhydroacridine, cyclopropane, cyclobutane, cyclopentane, cyclohexane, cycloheptane, cyclooctane, cyclononane, cyclodecane, cycloundecane, cyclododecane, cyclotridecane, cyclotetradecane, cyclopentadecane, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclopentadiene, cyclohexadiene, cycloheptadiene, cyclooctadiene, benzene, pentalene, perhydropentalene, azulene, perhydroazulene, indene, perhydroindene, indan, naphthalene, dihydronaphthalene, tetrahydronaphthalene, perhydronaphthalene, heptalene, perhydroheptalene, biphenylene, as-indacene, s-indacene, acenaphthylene, acenaphthene, fluorene, phenalene, phenanthrene, anthracene, spiro[4.4]nonane, spiro[4.5]decane, spiro[5.5]undecane, bicyclo[2.2.1]heptane, bicyclo[2.2.1]hept-2-ene, bicyclo[3.1.1]heptane, bicyclo[3.1.1]hept-2-ene, bicyclo[2.2.2]octane, bicyclo[2.2.2]oct-2-ene, adamantane or noradamantane, C<sub>3</sub>-15 monoeyelic, bicyelic or trieyelic

~~carboeyclic group, or a 5- to 15-membered monocyclic, bicyclic or tricyclic heterocyclic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom, and~~


ring E may be substituted with 1 to 5 of (i) C1-15 alkyl which may be substituted with phenyl, (ii) halogen, (iii) phenyl, (iv) C1-15 alkoxy, (v) hydroxyl, (vi) amino, (vii) mono(C1-8 alkyl)amino, or (viii) di(C1-8 alkyl)amino;

ring J represents an azetidine, a pyrrolidine, a piperidine or a perhydroazepine which may be substituted with 1-5 of R<sup>3</sup>; and

W represents hydrogen, a methyl, an ethyl, an isobutyl, a 3-methyl butyl, a 2-ethylbutyl, a cyclohexylmethyl, a cyclohexyl, a cyclopentyl, a benzyl, a benzene, cyclohexanol, 1-(cyclohexylcarbonyl)piperidine, a tetrahydropyran-4-yl or a piperidine.


**Claim 7. (canceled).**

**8. (currently amended)** A compound represented by formula (I-B):



wherein ring A<sup>B</sup> represents an azepane ring;

ring B<sup>B</sup> represents:



wherein the upward arrow represents a binding position to ring A<sup>B</sup>; and the right-downward arrow represents a binding position to the nitrogen atom bound to L;

L represents (1) a bond, (2) C1-8 alkylene, C2-8 alkenylene or C2-8 alkynylene, wherein the alkylene, alkenylene and alkynylene each may be substituted with 1 to 5 of R<sup>10</sup>, or (3) a C3-8 carbocyclic group which may be substituted with R<sup>3</sup>;

Q represents (1) NR<sup>1</sup>R<sup>2</sup> wherein R<sup>1</sup> and R<sup>2</sup> each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with 1 to 5

of  $R^{10}$ , (iii) a C3-8 carbocyclic group which may be substituted with 1 to 5 of  $R^3$ , or (iv) a 5- to 15-membered heterocyclic group which contains 1 or 2 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom and which may be substituted 1 to 5 of  $R^3$ , or (2) ring C;

ring C represents a 4- to 15-membered heterocyclic group which is fully saturated and which contains at least one nitrogen atom and may further contain 1 or 2 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom and which may be substituted with 1 to 5 of  $R^3$ ;

plural  $R^3$ 's each independently represents (1) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of  $R^{10}$ , (2) oxo, or (3)  $R^{10}$ ;

plural  $R^{10}$ 's each independently represents (1)  $OR^{11}$ , (2)  $OCOR^{12}$ , (3)  $OCOOR^{13}$ , (4)  $NR^{14}R^{15}$ , (5)  $NR^{16}COR^{12}$ , (6)  $NR^{16}CONR^{14}R^{15}$ , (7)  $NR^{16}COOR^{13}$ , (8)  $COOR^{13}$ , (9)  $COR^{12}$ , (10)  $CONR^{14}R^{15}$ , (11)  $SO_2R^{12}$ , (12)  $SOR^{22}$ , (13)  $SO_2NR^{24}R^{25}$ , (14)  $NR^{16}SO_2R^{12}$ , (15)  $B(OH)_2$ , (16)  $SR^{11}$ , (17) halogen, (18) nitro, (19) cyano, or (20) ring D;

$R^{11}$  represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of halogen,  $NR^{14}R^{15}$ ,  $OR^{21}$ ,  $SR^{21}$ ,  $COOR^{13}$ , or ring D, or (iii) ring D;

$R^{12}$ ,  $R^{13}$ ,  $R^{14}$ ,  $R^{15}$  and  $R^{16}$  each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring D, or (iii) ring D;

ring D represents a pyrrole, imidazole, triazole, tetrazole, pyrazole, pyridine, pyrazine, pyrimidine, pyridazine, azepine, diazepine, furan, pyran, oxepine, thiophene, thiopyran, thiepine, oxazole, isoxazole, thiazole, isothiazole, furazan, oxadiazole, oxazine, oxadiazine, oxazepine, oxadiazepine, thiadiazole, thiazine, thiadiazine, thiazepine, thiadiazepine, indole, isoindole, indolizine, benzofuran, isobenzofuran, benzothiophene, isobenzothiophene, dithianaphthalene, indazole, quinoline, isoquinoline, quinolizine, purine, phthalazine, pteridine, naphthyridine, quinoxaline, quinoxaline, cinnoline, benzoxazole, benzothiazole, benzimidazole, chromene, benzoxepine, benzoxazepine, benzoxadiazepine, benzothiepine, benzothiazepine, benzothiadiazepine, benzazepine, benzodiazepine, benzofurazan, benzothiadiazole, benzotriazole, carbazole, beta-carboline, acridine, phenazine, dibenzofuran, xanthene,

dibenzothiophene, phenothiazine, phenoxazine, phenoxathiin, thianthrene, phenanthridine, phenanthroline, perimidine, pyrroline, pyrrolidine, imidazoline, imidazolidine, triazoline, triazolidine, tetrazoline, tetrazolidine, pyrazoline, pyrazolidine, dihydropyridine, tetrahydropyridine, piperidine, dihydropyrazine, tetrahydropyrazine, piperazine, dihydropyrimidine, tetrahydropyrimidine, perhydropyrimidine, dihydropyridazine, tetrahydropyridazine, perhydropyridazine, dihydroazepine, tetrahydroazepine, perhydroazepine, dihydrodiazepine, tetrahydrodiazepine, perhydrodiazepine, dihydrooxazole, tetrahydrooxazole (oxazolidine), dihydroisoxazole, tetrahydroisoxazole (isoxazolidine), dihydrothiazole, tetrahydrothiazole (thiazolidine), dihydroisothiazole, tetrahydroisothiazole (isothiazolidine), dihydrofuran, tetrahydrofuran, dihydrooxadiazole, tetrahydrooxadiazole (oxadiazolidine), dihydrooxazine, tetrahydrooxazine, dihydrooxadiazine, tetrahydrooxadiazine, dihydrooxazepine, tetrahydrooxazepine, perhydrooxazepine, dihydrooxadiazepine, tetrahydrooxadiazepine, perhydrooxadiazepine, dihydrothiadiazole, tetrahydrothiadiazole (thiadiazolidine), dihydrothiazine, tetrahydrothiazine, dihydrothiadiazine, tetrahydrothiadiazine, dihydrothiazepine, tetrahydrothiazepine, perhydrothiazepine, dihydrothiadiazepine, tetrahydrothiadiazepine, perhydrothiadiazepine, morpholine, thiomorpholine, oxathiane, indoline, isoindoline, dihydroindazole, perhydroindazole, dihydroquinoline, tetrahydroquinoline, perhydroquinoline, dihydroisoquinoline, tetrahydroisoquinoline, perhydroisoquinoline, dihydrophtalazine, tetrahydrophtalazine, perhydrophtalazine, dihydronaphthridine, tetrahydronaphthridine, perhydronaphthridine, dihydroquinoxaline, tetrahydroquinoxaline, perhydroquinoxaline, dihydroquinazoline, tetrahydroquinazoline, perhydroquinazoline, dihydrocinnoline, tetrahydrocinnoline, perhydrocinnoline, benzoxathiane, dihydrobenzoxazine, dihydrobenzothiazine, pyrazinomorpholine, dihydrobenzoxazole, perhydrobenzoxazole, dihydrobenzothiazole, perhydrobenzothiazole, dihydrobenzimidazole, perhydrobenzimidazole, dihydrobenzazepine, tetrahydrobenzazepine, dihydrobenzodiazepine, tetrahydrobenzodiazepine, benzodioxepane, dihydrobenzoxazepine, tetrahydrobenzoxazepine, dihydrocarbazole, tetrahydrocarbazole, perhydrocarbazole, dihydroacridine, tetrahydroacridine, perhydroacridine, cyclopropane, cyclobutane, cyclopentane, cyclohexane, cycloheptane, cyclooctane, cyclononane,

cyclodecane, cycloundecane, cyclododecane, cyclotridecane, cyclotetradecane, cyclopentadecane, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclopentadiene, cyclohexadiene, cycloheptadiene, cyclooctadiene, benzene, pentalene, perhydropentalene, azulene, perhydraazulene, indene, perhydroindene, indan, naphthalene, dihydronaphthalene, tetrahydronaphthalene, perhydronaphthalene, heptalene, perhydroheptalene, biphenylene, as-indacene, s-indacene, acenaphthylene, acenaphthene, fluorene, phenalene, phenanthrene, anthracene, spiro[4.4]nonane, spiro[4.5]decane, spiro[5.5]undecane, bicyclo[2.2.1]heptane, bicyclo[2.2.1]hept-2-ene, bicyclo[3.1.1]heptane, bicyclo[3.1.1]hept-2-ene, bicyclo[2.2.2]octane, bicyclo[2.2.2]oct-2-ene, adamantane or noradamantane C3-15 monoeyelic, bicyelic or trieyelic carboeyelic group, or a 5- to 15-membered monoeyelic, bicyelic or trieyelic heteroeyelic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom; and

ring D may be substituted with 1 to 5 of the groups selected from the following (1) to (22):

(1) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl or alkynyl may be substituted with 1 to 5 of OR<sup>21</sup>, OCOR<sup>22</sup>, OCOOR<sup>23</sup>, NR<sup>24</sup>R<sup>25</sup>, NR<sup>26</sup>COR<sup>22</sup>, NR<sup>26</sup>CONR<sup>24</sup>R<sup>25</sup>, NR<sup>26</sup>COOR<sup>23</sup>, COOR<sup>23</sup>, COR<sup>22</sup>, CONR<sup>24</sup>R<sup>25</sup>, SO<sub>2</sub>R<sup>22</sup>, SOR<sup>22</sup>, SO<sub>2</sub>NR<sup>24</sup>R<sup>25</sup>, NR<sup>26</sup>SO<sub>2</sub>R<sup>22</sup>, B(OH)<sub>2</sub>, SR<sup>21</sup>, halogen, nitro or cyano, (2) oxo, (3) OR<sup>21</sup>, (4) OCOR<sup>22</sup>, (5) OCOOR<sup>23</sup>, (6) NR<sup>24</sup>R<sup>25</sup>, (7) NR<sup>26</sup>COR<sup>22</sup>, (8) NR<sup>26</sup>CONR<sup>24</sup>R<sup>25</sup>, (9) NR<sup>26</sup>COOR<sup>23</sup>, (10) COOR<sup>23</sup>, (11) COR<sup>22</sup>, (12) CONR<sup>24</sup>R<sup>25</sup>, (13) SO<sub>2</sub>R<sup>22</sup>, (14) SOR<sup>22</sup>, (15) SO<sub>2</sub>NR<sup>24</sup>R<sup>25</sup>, (16) NR<sup>26</sup>SO<sub>2</sub>R<sup>22</sup>, (17) B(OH)<sub>2</sub>, (18) SR<sup>21</sup>, (19) halogen, (20) nitro, (21) cyano or (22) ring E;

R<sup>21</sup> represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with COR<sup>22</sup>, NR<sup>24</sup>R<sup>25</sup> or ring E, or (iii) ring E;

R<sup>22</sup>, R<sup>23</sup>, R<sup>24</sup>, R<sup>25</sup> and R<sup>26</sup> each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring E, or (iii) ring E;

ring E represents a C3-15 monoeyelic, bicyelic or trieyelic carboeyelic group, or a 5- to 15-membered monoeyelic, bicyelic or trieyelic heteroeyelic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom pyrrole, imidazole, triazole, tetrazole, pyrazole, pyridine, pyrazine, pyrimidine, pyridazine, azepine, diazepine, furan, pyran, oxepine,

thiophene, thiopyran, thiepine, oxazole, isoxazole, thiazole, isothiazole, furazan, oxadiazole, oxazine, oxadiazine, oxazepine, oxadiazepine, thiadiazole, thiazine, thiadiazine, thiazepine, thiadiazepine, indole, isoindole, indolizine, benzofuran, isobenzofuran, benzothiophene, isobenzothiophene, dithianaphthalene, indazole, quinoxaline, isoquinoline, quinolizine, purine, phthalazine, pteridine, naphthyridine, quinoxaline, quinazoline, cinnoline, benzoxazole, benzothiazole, benzimidazole, chromene, benzoxepine, benzoxazepine, benzoxadiazepine, benzothiepine, benzothiazepine, benzothiadiazepine, benzazepine, benzodiazepine, benzofurazan, benzothiadiaazole, benzotriazole, carbazole, beta-carboline, acridine, phenazine, dibenzofuran, xanthene, dibenzothiophene, phenothiazine, phenoxazine, phenoxathiin, thianthrene, phenanthridine, phenanthroline, perimidine, pyrroline, pyrrolidine, imidazoline, imidazolidine, triazoline, triazolidine, tetrazoline, tetrazolidine, pyrazoline, pyrazolidine, dihydropyridine, tetrahydropyridine, piperidine, dihydropyrazine, tetrahydropyrazine, piperazine, dihydropyrimidine, tetrahydropyrimidine, perhydropyrimidine, dihydropyridazine, tetrahydropyridazine, perhydropyridazine, dihydroazepine, tetrahydroazepine, perhydroazepine, dihydrodiazepine, tetrahydrodiazepine, perhydrodiazepine, dihydrooxazole, tetrahydrooxazole (oxazolidine), dihydroisoxazole, tetrahydroisoxazole (isoxazolidine), dihydrothiazole, tetrahydrothiazole (thiazolidine), dihydroisothiazole, tetrahydroisothiazole (isothiazolidine), dihydrofurazan, tetrahydrofurazan, dihydrooxadiazole, tetrahydrooxadiazole (oxadiazolidine), dihydrooxazine, tetrahydrooxazine, dihydrooxadiazine, tetrahydrooxadiazine, dihydrooxazepine, tetrahydrooxazepine, perhydrooxazepine, dihydrooxadiazepine, tetrahydrooxadiazepine, perhydrooxadiazepine, dihydrothiadiazole, tetrahydrothiadiazole (thiadiazolidine), dihydrothiazine, tetrahydrothiazine, dihydrothiadiazine, tetrahydrothiadiazine, dihydrothiazepine, tetrahydrothiazepine, perhydrothiazepine, dihydrothiadiazepine, tetrahydrothiadiazepine, perhydrothiadiazepine, morpholine, thiomorpholine, oxathiane, indoline, isoindoline, dihydroindazole, perhydroindazole, dihydroquinoline, tetrahydroquinoline, perhydroquinoline, dihydroisoquinoline, tetrahydroisoquinoline, perhydroisoquinoline, dihydrophthalazine, tetrahydrophthalazine, perhydrophthalazine, dihydronaphthyridine, tetrahydronaphthyridine, perhydronaphthyridine, dihydroquinoxaline, tetrahydroquinoxaline,

perhydroquinoxaline, dihydroquinazoline, tetrahydroquinazoline, perhydroquinazoline, dihydrocinnoline, tetrahydrocinnoline, perhydrocinnoline, benzoxathiane, dihydrobenzoxazine, dihydrobenzothiazine, pyrazinomorpholine, dihydrobenzoxazole, perhydrobenzoxazole, dihydrobenzothiazole, perhydrobenzothiazole, dihydrobenzimidazole, perhydrobenzimidazole, dihydrobenzazepine, tetrahydrobenzazepine, dihydrobenzodiazepine, tetrahydrobenzodiazepine, benzodioxepane, dihydrobenzoxazepine, tetrahydrobenzoxazepine, dihydrocarbazole, tetrahydrocarbazole, perhydrocarbazole, dihydroacridine, tetrahydroacridine, perhydroacridine, cyclopropane, cyclobutane, cyclopentane, cyclohexane, cycloheptane, cyclooctane, cyclononane, cyclodecane, cycloundecane, cyclododecane, cyclotridecane, cyclotetradecane, cyclopentadecane, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclopentadiene, cyclohexadiene, cycloheptadiene, cyclooctadiene, benzene, pentalene, perhydropentalene, azulene, perhydroazulene, indene, perhydroindene, indan, naphthalene, dihydronaphthalene, tetrahydronaphthalene, perhydronaphthalene, heptalene, perhydroheptalene, biphenylene, as-indacene, s-indacene, acenaphthylene, acenaphthene, fluorene, phenalene, phenanthrene, anthracene, spiro[4.4]nonane, spiro[4.5]decane, spiro[5.5]undecane, bicyclo[2.2.1]heptane, bicyclo[2.2.1]hept-2-ene, bicyclo[3.1.1]heptane, bicyclo[3.1.1]hept-2-ene, bicyclo[2.2.2]octane, bicyclo[2.2.2]oct-2-ene, adamantane or noradamantane, and

ring E may be substituted with 1 to 5 of (i) C1-15 alkyl which may be substituted with phenyl, (ii) halogen, (iii) phenyl, (iv) C1-15 alkoxy, (v) hydroxyl, (vi) amino, (vii) mono(C1-8 alkyl)amino, or (viii) di(C1-8 alkyl)amino;

ring A<sup>B</sup> may be substituted with 1-5 of R<sup>a</sup>;

ring B<sup>B</sup> may be substituted with 1-5 of R<sup>b</sup>;

R<sup>a</sup> and R<sup>b</sup> each independently represents a group which has the same meaning as the group represented by R<sup>3</sup>, or

a salt thereof.

9. **(previously presented)** The compound according to any one of claims 1 and 8, which is



- (1) N-(4-azepan-1-ylpyrimidin-2-yl)ethane-1,2-diamine,
- (2) N<sup>1</sup>-(4-azepan-1-ylpyrimidin-2-yl)-N<sup>2</sup>,N<sup>2</sup>-dimethylethane-1,2-diamine,
- (3) 4-azepan-1-yl-N-((3S)-1-cyclohexylpyrrolidin-3-yl)pyrimidin-2-amine,
- (4) 4-azepan-1-yl-N-((3S)-1-benzylpyrrolidin-3-yl)pyrimidin-2-amine,
- (5) 4-azepan-1-yl-N-((3S)-1-(2-ethylbutyl)piperidin-3-yl)pyrimidin-2-amine,
- (6) 4-azepan-1-yl-N-[(3S)-1-cyclohexylpiperidin-3-yl]pyrimidin-2-amine,
- (7) 4-azepan-1-yl-N-[(3S)-1-tetrahydro-2H-pyran-4-ylpiperidin-3-yl]pyrimidin-2-amine,
- (8) 4-(3S)-3-[(4-azepan-1-ylpyrimidin-2-yl)amino]piperidin-1-ylcyclohexanol, or
- (9) (3S)-N-(4-azepan-1-ylpyrimidin-2-yl)-1'-(cyclohexylcarbonyl)-1,4'-bipiperidin-3-amine.

10. **(previously presented)** A pharmaceutical composition, which comprises the compound represented by formula (I) according to claim 1, or a salt thereof, and a pharmaceutically acceptable carrier.

***Claims 11 - 22. (canceled)***

23. **(previously presented)** A CXCR4 antagonist composition, which comprises the compound represented by formula (I-B) according to claim 8, or a salt thereof, as an active ingredient, and a pharmaceutically acceptable carrier.

***Claims 24 - 27. (canceled)***


28. **(previously presented):** A medicament which comprises the compound according to any one of claims 1 and 8, or a salt thereof, in combination with one or at least two of a reverse transferase inhibitor, a protease inhibitor.

29. **(Original)** The medicament according to claim 28, wherein the reverse transferase inhibitor is one or at least two selected from zidovudine, didanosine, zalcitabine, stavudine, lamivudine, abacavir, adefovir, dipivoxil, emtricitabine, tenofovir, nevirapine, nevirapine, efavirenz and capravirine.

30. **(Original)** The medicament according to claim 28, wherein the protease inhibitor is one or at least two selected from indinavir, ritonavir, nelfinavir, saquinavir, amprenavir, lopinavir and lopinavir.

***Claims 31-32. (canceled)***

33. **(previously presented)** A method for treating human immunodeficiency virus infection, which comprises administering to a subject in need thereof an effective amount of a compound represented by formula (I):



wherein ring A represents an azepane ring;

ring B represents a pyrimidine ring which may be substituted with 1-5 of R<sup>3</sup>;

plural R<sup>3</sup>'s each independently represents (1) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of R<sup>10</sup>, (2) oxo, or (3) R<sup>10</sup>;

plural R<sup>10</sup>'s each independently represents (1) OR<sup>11</sup>, (2) OCOR<sup>12</sup>, (3) OCOOR<sup>13</sup>, (4) NR<sup>14</sup>R<sup>15</sup>, (5) NR<sup>16</sup>COR<sup>12</sup>, (6) NR<sup>16</sup>CONR<sup>14</sup>R<sup>15</sup>, (7) NR<sup>16</sup>COOR<sup>13</sup>, (8) COOR<sup>13</sup>, (9) COR<sup>12</sup>, (10) CONR<sup>14</sup>R<sup>15</sup>, (11) SO<sub>2</sub>R<sup>12</sup>, (12) SOR<sup>22</sup>, (13) SO<sub>2</sub>NR<sup>24</sup>R<sup>25</sup>, (14) NR<sup>16</sup>SO<sub>2</sub>R<sup>12</sup>, (15) B(OH)<sub>2</sub>, (16) SR<sup>11</sup>, (17) halogen, (18) nitro, (19) cyano, or (20) ring D;

R<sup>11</sup> represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl and alkynyl may be substituted with 1 to 5 of halogen, NR<sup>14</sup>R<sup>15</sup>, OR<sup>21</sup>, SR<sup>21</sup>, COOR<sup>13</sup>, or ring D, or (iii) ring D;

$R^{12}$ ,  $R^{13}$ ,  $R^{14}$ ,  $R^{15}$  and  $R^{16}$  each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring D, or (iii) ring D;

ring D represents a C3-15 monocyclic, bicyclic or tricyclic carbocyclic group, or a 5- to 15-membered monocyclic, bicyclic or tricyclic heterocyclic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom; and

ring D may be substituted with 1 to 5 of the groups selected from the following (1) to (22):

(1) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl, wherein the alkyl, alkenyl or alkynyl may be substituted with 1 to 5 of  $OR^{21}$ ,  $OCOR^{22}$ ,  $OCOOR^{23}$ ,  $NR^{24}R^{25}$ ,  $NR^{26}COR^{22}$ ,  $NR^{26}CONR^{24}R^{25}$ ,  $NR^{26}COOR^{23}$ ,  $COOR^{23}$ ,  $COR^{22}$ ,  $CONR^{24}R^{25}$ ,  $SO_2R^{22}$ ,  $SOR^{22}$ ,  $SO_2NR^{24}R^{25}$ ,  $NR^{26}SO_2R^{22}$ ,  $B(OH)_2$ ,  $SR^{21}$ , halogen, nitro or cyano, (2) oxo, (3)  $OR^{21}$ , (4)  $OCOR^{22}$ , (5)  $OCOOR^{23}$ , (6)  $NR^{24}R^{25}$ , (7)  $NR^{26}COR^{22}$ , (8)  $NR^{26}CONR^{24}R^{25}$ , (9)  $NR^{26}COOR^{23}$ , (10)  $COOR^{23}$ , (11)  $COR^{22}$ , (12)  $CONR^{24}R^{25}$ , (13)  $SO_2R^{22}$ , (14)  $SOR^{22}$ , (15)  $SO_2NR^{24}R^{25}$ , (16)  $NR^{26}SO_2R^{22}$ , (17)  $B(OH)_2$ , (18)  $SR^{21}$ , (19) halogen, (20) nitro, (21) cyano or (22) ring E;


$R^{21}$  represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with  $COR^{22}$ ,  $NR^{24}R^{25}$  or ring E, or (iii) ring E;

$R^{22}$ ,  $R^{23}$ ,  $R^{24}$ ,  $R^{25}$  and  $R^{26}$  each independently represents (i) hydrogen, (ii) C1-15 alkyl, C2-15 alkenyl or C2-15 alkynyl which may be substituted with ring E, or (iii) ring E;

ring E represents a C3-15 monocyclic, bicyclic or tricyclic carbocyclic group, or a 5- to 15-membered monocyclic, bicyclic or tricyclic heterocyclic group which contains 1 to 4 nitrogen atoms, 1 or 2 oxygen atoms and/or one sulfur atom, and

ring E may be substituted with 1 to 5 of (i) C1-15 alkyl which may be substituted with phenyl, (ii) halogen, (iii) phenyl, (iv) C1-15 alkoxy, (v) hydroxyl, (vi) amino, (vii) mono(C1-8 alkyl)amino, or (viii) di(C1-8 alkyl)amino; and

Y represents



wherein G represents a bond or a methylene;

ring J represents; and

W represents hydrogen, a methyl, an ethyl, an isobutyl, a 3-methyl butyl, a 2-ethylbutyl, a cyclohexylmethyl, a cyclohexyl, a cyclopentyl, a benzyl, a benzene, cyclohexanol, 1-(cyclohexylcarbonyl)piperidine, a tetrahydropyran-4-yl or a piperidine, or a salt thereof.

***Claim 34. (canceled)***